JOURNAL OF ELECTROANALYTICAL CHEMISTRY

Vol. 368 Nos. 1 and 2 APRIL 25 1994

Regular papers

Effect of surface roughness on diffusion-limited charge transfer
R. Kant and S.K. Rangarajan (Bangalore, India) 1

Mechanism of ionic and redox sensitivity of p-type conducting polymers. Part 1. Theory
A. Lewenstam (Turku-Åbo, Finland, Cracow, Poland), J. Bobacka and A. Ivaska (Turku-Åbo, Finland) 23

Mechanism of ionic and redox sensitivity of p-type conducting polymers. Part 2. Experimental study of polypyrrole
J. Bobacka, Z. Gao, A. Ivaska (Turku-Åbo, Finland) and A. Lewenstam (Turku-Åbo, Finland, Cracow, Poland) 33

Determination of the phase composition of anodic lead(II) film formed in sulfuric acid solution
J. Han, C. Pu and W.-F. Zhou (Shanghai, China) 43

Powder microelectrodes
C.S. Cha, C.M. Li, H.X. Yang and P.F. Liu (Wuhan, China) 47

Isothermal flow calorimetric investigations of the D/Pd and H/Pd systems
M.C.H. McKubre, S. Crouch-Baker, R.C. Rocha-Filho, S.I. Smedley, F.L. Tanzella (Menlo Park, CA, USA), T.O. Passell and J. Santucci (Palo Alto, CA, USA) 55

Differential-potentiometric cell for the restandardization of pH reference materials
F.G.K. Baucke (Mainz, Germany) 67

Photoinduced electron transfer reactions of $[Ru(bpy)_3]^{2+}$ adsorbed onto Nafion® and clay coated electrodes in the presence of Fe^{3+} ions
K. Vengatajalabathy Gobi and R. Ramaraj (Madurai, India) 77

Gold electrode modification with a monolayer of 1,4,5,8-naphthalenetetrone as a four-electron transfer mediator: electrochemical reduction of dioxygen to water
E. Katz and H.-L. Schmidt (Freising, Germany) 87

Brush plated CdSe films and their photoelectrochemical characteristics
K.R. Murali, V. Subramanian, N. Rangarajan, A.S. Lakshmanan (Karaikudi, India) and S.K. Rangarajan (Bangalore, India) 95

Poison formation reaction from formic acid on Pt(100) electrodes modified by irreversibly adsorbed bismuth and antimony
E. Herrero, J.M. Feliu and A. Aldaz (Alacant, Spain) 101

Ensuring self-consistent assignment of thermodynamic parameters in simulations of electrochemical–chemical systems
W. Luo, S.W. Feldberg (Upton, NY, USA) and M. Rudolph (Jena, Germany) 109

Dropping mercury microelectrode for studying reducible colloids and suspensions
A. Baars, M. Sluyters-Rehbach and J.H. Sluyters (Utrecht, Netherlands) 115

Electrolytic preparation of highly loaded deuterides of palladium
T.A. Green and T.I. Quickenden (Nedlands, Australia) 121

Measurement of H/D uptake characteristics at palladium using a quartz crystal microbalance
G.T. Cheek (Annapolis, MD, USA) and W.E. O'Grady (Washington, DC, USA) 133

Desulfurization of thiophene by electrochemical perturbation
M. Hourani (Amman, Jordan) 139

Some numerical investigations of the stability of electrochemical digital simulation, particularly as affected by first-order homogeneous reactions
D. Britz and O. Østerby (Aarhus, Denmark) 143

Electrochemical and spectral evidence of the inclusion of the herbicide difenzoquat by cyclodextrins in aqueous solution
L. Pospíšil, J. Hanzlík (Prague, Czech Republic), R. Fuoco and M.P. Colombini (Pisa, Italy) 149

On the interpretation of optical beam deflection data at excess of a background electrolyte
M.A. Vorotyntsev (Moscow, Russian Federation, Paris, France), C. Lopez and E. Vieil (Grenoble, France) 155

Reconstitution of the quinoprotein glucose dehydrogenase from its apoenzyme on a gold electrode surface modified with a monolayer of pyrroloquinoline quinone
E. Katz, D.D. Schlereth, H.-L. Schmidt (Freising-Weihenstephan, Germany) and A.J.J. Olsthoorn (Delft, Netherlands) 165

UV–visible spectroscopic studies in the diffusion layer during electropolymerization of thiophene
M. Olbrich-Stock, J. Posdorfer and R.N. Schindler (Kiel, Germany) 173

Mass transfer and convolution. Part II. In situ optical beam deflection study of ionic exchanges between polyphenylene films and a 1:1 electrolyte
E. Vieil (Grenoble, France), K. Meerholz (Freiburg, Germany), T. Matencio (Grenoble, France) and J. Heinze (Freiburg, Germany) . . 183

Chemically modified field effect transistors: the effect of ion-pair association on the membrane potentials
P.L.H.M. Cobben, R.J.M. Egberink, J.G. Bomer, P. Bergveld and D.N. Reinhoudt (Enschede, Netherlands) 193

The electrochemical reduction of iron porphyrin nitrosyls in the presence of weak acids
Y. Liu and M.D. Ryan (Milwaukee, WI, USA) 209

Electrocatalytic oxidation of NADH at poly(metallophthalocyanine)- modified electrodes
F. Xu, H. Li, S.J. Cross and T.F. Guarr (Lexington, KY, USA) 221

Electrochemistry of 4,6-dimethyl-2-thiopyrimidine and 4,6-dimethyl-1-phenyl-2-thiopyrimidine in dimethylformamide
R. Battistuzzi, M. Borsari, D. Dallari, G. Gavioli (Modena, Italy), C. Tavagnacco and G. Costa (Trieste, Italy) 227

Oxidative stability of bismuth–ruthenium pyrochlore $Bi_2Ru_2O_{7-y}$
G. Gökağaç and B.J. Kennedy (Sydney, Australia) 235

Thermodynamic studies of redox reactions in poly(styrenesulphonate) and Nafion® films
Å. Genborg and M. Sharp (Umeå, Sweden) 241

Determination of dissolved oxygen by catalytic reduction on a Nafion®/ruthenium-oxide pyrochlore chemically modified electrode
J.-M. Zen and C.-B. Wang (Taichung, Taiwan) 251

Electroluminescence from p-type silicon during anodic oxidation in ethylene glycol solution
M. Seo, K. Fushimi, H. Takahashi and K. Aotsuka (Kita-ku Sapporo, Japan) 257

Oxidation of cysteine, cysteinesulfinic acid and cysteic acid on a polycrystalline gold electrode
W.R. Fawcett, M. Fedurco, Z. Kováčová and Z. Borkowska (Davis, CA, USA) 265

Adsorption study of cysteine, *N*-acetylcysteamine, cysteinesulfinic acid and cysteic acid on a polycrystalline gold electrode
W.R. Fawcett, M. Fedurco, Z. Kováčová and Z. Borkowska (Davis, CA, USA) 275

Effect of complexation by cyclodextrins on the voltammetric characteristic of viologens adsorbed on an HMDE
F. Kitamura, T. Ohsaka and K. Tokuda (Yokohama, Japan) 281

Formation of CO during adsorption on platinum electrodes of methanol, formaldehyde, ethanol and acetaldehyde in carbonate medium
J.M. Pérez (Alicante, Spain), E. Muñoz (Córdoba, Spain), E. Morallón, F. Cases, J.L. Vázquez and A. Aldaz (Alicante, Spain) 285

The adsorption of thiourea at the mercury electrode from 1 M KF and 1 M KCl solutions and their mixtures: a dropping mercury microelectrode study
A. Baars, J.W.J. Knapen, M. Sluyters-Rehbach and J.H. Sluyters (Utrecht, Netherlands) 293

Study of reactant adsorption in the system Cd(II)KBr(1 M)/Hg by chronocoulometry
E. Guaus, F. Sanz (Barcelona, Spain), M. Sluyters-Rehbach and J.H. Sluyters (Utrecht, Netherlands) 307

Short communications

Electrochemical chromatography using a polyaniline stationary phase. II: Effects of pH of the mobile phase and column length
T. Nagaoka, K. Kakuno, M. Fujimoto, H. Nakao, J. Yano and K. Ogura (Yamaguchi, Japan) 315

A plasticized poly(alkyleneoxy)acrylate-based polymer electrolyte with high ionic conductivity
C.S. Harris (Harmarville, PA, USA) 319

Electrocatalytic reduction of nitric oxide by water-soluble manganese porphyrins
C.-H. Yu and Y.O. Su (Taipei, Taiwan) 323

Controlled release of biological molecules from conducting polymer modified electrodes. The potential dependent release of adenosine 5′-triphosphate from poly(pyrrole adenosine 5′-triphosphate) films
M. Pyo, G. Maeder, R.T. Kennedy and J.R. Reynolds (Gainesville, FL, USA) 329

Preliminary note

Fabrication of Pt microporous electrodes from anodic porous alumina and immobilization of GOD into their micropores
H. Masuda, T. Mizuno, N. Baba and T. Ohmori (Tokyo, Japan) 333

Book review 337

Announcement 339

Author index 341

Subject index 343